



Meilin固件接入OneVnet网络说明

- 一. 您的华硕AC系列路由需要自行刷入梅林系统
- 二. 登陆后台，高级设置-VPN-OpenVPN Clients



三.在OneVnet上根据提示，获取OpenVPN 配置文件；在路由器后台点击选择文件，**上传ovpn文件**，等待刷新



- 四. 在Username 和 Password中**填入您OneVnet 账户和密码**
- 五. 高级设置中, Verify Server Certificate 选择否, **Accept NDS Configuration**选择 **Exclusive**

Advanced Settings	
Log verbosity (0-11, default=3)	3
轮询间隔 (关闭: 0)	0
Accept DNS Configuration	Exclusive ▼
Cipher Negotiation	Enable (with fallback) ▼
Negotiable ciphers	AES-128-GCM:AES-256-GCM:AES-128-CBC:AES-256-CBC
Legacy/fallback cipher	Default ▼
压缩	LZO Adaptive ▼
TLS Renegotiation Time (in seconds, -1 for default)	-1
Connection Retry (in seconds, -1 for infinite)	-1
Verify Server Certificate	☒ 是 ☐ 否
Redirect Internet traffic	All ▼

六. 保存设定, Service State 选择**On** 勾选 Start with WAN 为 **是**

OpenVPN Client 1 - Connected (ov-f.vnet.one tcp-client:500)			
Statistics			
TUN/TAP read bytes	7,106,000	TUN/TAP write bytes	91,887,690
TCP/UDP read bytes	93,514,115	TCP/UDP write bytes	8,214,733
Auth read bytes	91,889,085	pre-compress bytes	49,232
post-compress bytes	46,855	pre-decompress bytes	261,140
post-decompress bytes	356,259		

七. 返回VPN设定首页, 您将会看见成功接入后的接入信息